



Professional Series Product Range

PROFESSIONAL SERIES



Who We Are

Velcro Companies.....	4
VELCRO® Brand Solutions for the Construction Industry.....	6

General Purpose

General Use Fastener	8
----------------------------	---

High Performance

High Strength Fastener	10
Extreme Strength Fastener	12
Extra Thin Fastener	14
Universal Flooring Fastener.....	16
VELCRO® Brand ALFA-LOK® Fastener.....	18

Straps & Tapes

VELCRO® Brand ONE-WRAP® Strap.....	20
VELCRO® Brand ONE-WRAP® Tape.....	26
VELCRO® Brand LogiStrap® Strap.....	30

Agriculture & Gardening

Green Tie	32
-----------------	----

Additional Information

Sales Promotion Tools.....	34
Product Range Overview.....	35



Velcro Companies

Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 50 years and own over 400 active patents and numerous trademarks, including the VELCRO® trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &
GOVERNMENT



PACKAGING



PERSONAL
CARE



TRANSPORTATION



SPECIALTIES



 Our manufacturing facilities around the world

From more than
50 different
nationalities



+3,000
employees

We create more than
10 billion connections
every year



10 billion
connections

Last year we produced
enough tape to circle
the Earth 130 times



5,300,000 Km
of tape

Developed since the
creation of the original
patent in 1952



+1,000
patents



+20 offices
worldwide



**Hidden
hero**



Hundreds of
applications

10 production facilities,
4 R&D centers, 20 sales
offices and distribution
centers

Our products are connecting
everyone everywhere in
everyday life experiences


Infinite applications and uses by
consumers and professionals
around the world



VELCRO® Brand Solutions for the Construction Industry

The VELCRO® Brand offers construction fastening systems that provide a greener alternative for manufacturers, architects, and builders—and can help earn potential green building rating points. These fastening solutions reduce the use of volatile organic compounds (VOCs), eliminate adhesive off-gassing, and reduce job site waste, while reducing the installation time. VELCRO® Brand construction fastening systems require fewer tools; are easy to replace and reposition; prevent damage to the underlying building envelope; and can be applied in a wider range of temperature and weather conditions for improved productivity and reduced labor costs.





GENERAL USE FASTENER

VELCRO® Brand Hook & Loop closure. Medium profile.
Adhesive designed for a wide number of substrates such as aluminum, stainless steel, glass, plywood and polyester. Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Medium tack adhesion.



CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm ²
	TENSION	4.5 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20002	8412355200028	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20003	8412355200035	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20006	8412355200066	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20007	8412355200073	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20000	8412355200004	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	6	Stick, staple, nail, screw
VEL-PS20001	8412355200011	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	6	Stick, staple, nail, screw
VEL-PS20004	8412355200042	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20005	8412355200059	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%


Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours



*Weight resistance of 50mm x 100mm of closure.



HIGH STRENGTH FASTENER

VELCRO® Brand Extruded Plastic Hook & Loop closure. Medium profile. Adhesive suitable for a wide number of substrates (PVC-vinyl, aluminum, stainless steel, glass, plywood and polyester) but not for polyethylene or polypropylene. High adhesive temperature resistance. Medium tack.



CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	Medium
	PEEL	6 N/cm
	SHEAR	31 N/cm ²
	TENSION	9 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-20°C to +120°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✗
Polypropylene	✗
Stainless Steel	✓
Vinyl	✓
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20009	8412355200097	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20008	8412355200080	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw

● COINS							
REFERENCE	EAN CODE	CONTENT	DIAMETER	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20010	8412355200103	6 coins of Hook 6 coins of Loop	∅ 45mm	■	✓	96	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours









*Weight resistance of 50mm x 100mm of closure.



EXTREME STRENGTH FASTENER

VELCRO® Brand VEL-LOC® (Mushroom) & Loop closure. Medium profile. Adhesive suitable for a wide number of substrates (including aluminum, stainless steel, glass, plywood and polyester). Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Extreme tack adhesion.



CLOSURE INFORMATION		
	MATERIAL	Polyester Polypropylene Polyamide
	CYCLE LIFE	Low
	PEEL	24 N/cm
	SHEAR	115 N/cm ²
	TENSION	11 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20012	8412355200127	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20011	8412355200110	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press



Adhesive reaches maximum performance after 24 hours

24H



*Weight resistance of 50mm x 100mm of closure.



HIGH PERFORMANCE

EXTRA THIN FASTENER

VELCRO® Brand Extruded Plastic Hook & Loop closure. Low profile. Adhesive suitable for a wide number of substrates (aluminum, stainless steel, glass, plywood, polyester, polyethylene and polypropylene). Low adhesive temperature resistance. Not compatible with PVC-vinyl. High tack.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene Polyamide
	CYCLE LIFE	Medium
	PEEL	2 N/cm
	SHEAR	30 N/cm ²
	TENSION	10 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +60°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20020	8412355200202	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20019	8412355200196	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20018	8412355200189	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20017	8412355200172	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20016	8412355200165	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	7	Stick, staple, nail, screw
VEL-PS20015	8412355200158	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	7	Stick, staple, nail, screw
VEL-PS20014	8412355200141	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	4	Stick, staple, nail, screw
VEL-PS20013	8412355200134	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	4	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

Adhesive reaches maximum performance after 24 hours



*Weight resistance of 50mm x 100mm of closure.



UNIVERSAL FLOORING FASTENER

VELCRO® Brand Extruded Plastic Hook. Low profile. Compatible with most of the flexible floors with receptive backing (Carpet, PVC...). Adhesive adequate for a wide range of substrates (PVC-Vinyl, aluminum, stainless steel, concrete, glass, plywood, polyester). High adhesive temperature range, low tack. Residual free.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	ADHESIVE OPERATING TEMPERATURE	-40°C to +140°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✗
Polypropylene	✗
Stainless Steel	✓
Vinyl	✓
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20021	8412355200219	25 meters of Hook Tape	45mm	■	✓	7	Stick
VEL-PS20027	8412355200271	25 meters of Hook Tape	107mm	■	✓	4	Stick

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface




Remove paper and press



24H






Adhesive reaches maximum performance after 24 hours



ALFA-LOK® FASTENER

The VELCRO® Brand ALFA-LOK® Fastener is a strong, self-engaging and multidirectional tape easy to use. The quadrilobal mushroom tape ensures a firm and reliable connection. It can be engaged at any position by pressing the two parts together firmly.

VELCRO® Brand ALFA-LOK® Fastener has been developed for use in a wide range of applications from solar panels, signage and exhibition stands to fixing the interior in trains, cars or buses.

CLOSURE INFORMATION		
	MATERIAL	Polyester Polypropylene
	PEEL	2 N/cm
	SHEAR	50 N/cm ²
	TENSION	40 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-40°C to +90°C


ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✓
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended





REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20023	8412355200233	1 meter of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20022	8412355200226	3 meters of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20028	8412355200288	5 meters of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

 Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%

 Clean the surface

 Remove paper and press

 Adhesive reaches maximum performance after 24 hours













STRAPS & TAPES

STRAP

ONE-WRAP® Strap

VELCRO® Brand ONE-WRAP® Strap has proved its value as easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.


CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm ²

SIZE	STRAP SHAPE
13x200mm	
20x150mm	
20x200mm	
20x230mm	
20x330mm	
25x300mm	



STRAP • 25 UNITS ROLL


REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-DW64300	8412355643009	13mm x 200mm 25 Units	13mm	White (010)	108	Bundle, wrap, fasten
VEL-DW64301	8412355643016			Black (330)		
VEL-DW64302	8412355643023			Black (330 F.R.T.)		
VEL-DW64303	8412355643030			Royal Blue (131)		
VEL-DW64304	8412355643047			Yellow (750)		
VEL-DW64305	8412355643054			Red (530)		
VEL-DW64306	8412355643061			Green (650)		
VEL-DW64307	8412355643078			Purple (557)		
VEL-DW64309	8412355643092			Pink (895)		
VEL-DW64310	8412355643108			Acqua (893)		
VEL-DW64311	8412355643115			Orange (700)		
VEL-DW64400	8412355644006	20mm x 150mm 25 Units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-DW64401	8412355644013			Black (330)		
VEL-DW64402	8412355644020			Black (330 F.R.T.)		
VEL-DW64403	8412355644037			Royal Blue (131)		
VEL-DW64404	8412355644044			Yellow (750)		
VEL-DW64405	8412355644051			Red (530)		
VEL-DW64406	8412355644068			Green (650)		
VEL-DW64407	8412355644075			Purple (557)		
VEL-DW64409	8412355644099			Pink (895)		
VEL-DW64410	8412355644105			Acqua (893)		
VEL-DW64411	8412355644112			Orange (700)		



STRAPS & TAPES

STRAP • 25 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-DW64500	8412355645003	20mm x 200mm 25 Units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-DW64501	8412355645010			Black (330)		
VEL-DW64502	8412355645027			Black (330 F.R.T.)		
VEL-DW64503	8412355645034			Royal Blue (131)		
VEL-DW64504	8412355645041			Yellow (750)		
VEL-DW64505	8412355645058			Red (530)		
VEL-DW64506	8412355645065			Green (650)		
VEL-DW64507	8412355645072			Purple (557)		
VEL-DW64509	8412355645096			Pink (895)		
VEL-DW64510	8412355645102			Acqua (893)		
VEL-DW64511	8412355645119	Orange (700)	108	Bundle, wrap, fasten		
VEL-DW64600	8412355646000	White (010)				
VEL-DW64601	8412355646017	Black (330)				
VEL-DW64602	8412355646024	Black (330 F.R.T.)				
VEL-DW64603	8412355646031	Royal Blue (131)				
VEL-DW64604	8412355646048	Yellow (750)				
VEL-DW64605	8412355646055	Red (530)				
VEL-DW64606	8412355646062	Green (650)				
VEL-DW64607	8412355646079	Purple (557)				
VEL-DW64609	8412355646093	Pink (895)				
VEL-DW64610	8412355646109	Acqua (893)	108	Bundle, wrap, fasten		
VEL-DW64611	8412355646116	Orange (700)				
VEL-DW64700	8412355647007	White (010)				
VEL-DW64701	8412355647014	Black (330)				
VEL-DW64702	8412355647021	Black (330 F.R.T.)				
VEL-DW64703	8412355647038	Royal Blue (131)				
VEL-DW64704	8412355647045	Yellow (750)				
VEL-DW64705	8412355647052	Red (530)				
VEL-DW64706	8412355647069	Green (650)				
VEL-DW64707	8412355647076	Purple (557)				
VEL-DW64709	8412355647090	Pink (895)	84	Bundle, wrap, fasten		
VEL-DW64710	8412355647106	Acqua (893)				
VEL-DW64711	8412355647113	Orange (700)				
VEL-DW64800	8412355648004	White (010)				
VEL-DW64801	8412355648011	Black (330)				
VEL-DW64802	8412355648028	Black (330 F.R.T.)				
VEL-DW64803	8412355648035	Royal Blue (131)				
VEL-DW64804	8412355648042	Yellow (750)				
VEL-DW64805	8412355648059	Red (530)				
VEL-DW64806	8412355648066	Green (650)				
VEL-DW64807	8412355648073	Purple (557)				
VEL-DW64809	8412355648097	Pink (895)	84	Bundle, wrap, fasten		
VEL-DW64810	8412355648103	Acqua (893)				
VEL-DW64811	8412355648110	Orange (700)				



 STRAP • 100 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64326	8412355643269	13mm x 200mm 100 Units	13mm	White (010)	64	Bundle, wrap, fasten
VEL-OW64327	8412355643276			Black (330)		
VEL-OW64328	8412355643283			Black (330 F.R.T.)		
VEL-OW64329	8412355643290			Royal Blue (131)		
VEL-OW64330	8412355643306			Yellow (750)		
VEL-OW64331	8412355643313			Red (530)		
VEL-OW64332	8412355643320			Green (650)		
VEL-OW64333	8412355643337			Purple (557)		
VEL-OW64335	8412355643351			Pink (895)		
VEL-OW64336	8412355643368			Acqua (893)		
VEL-OW64337	8412355643375	Orange (700)	72	Bundle, wrap, fasten		
VEL-OW64426	8412355644266	White (010)				
VEL-OW64427	8412355644273	Black (330)				
VEL-OW64428	8412355644280	Black (330 F.R.T.)				
VEL-OW64429	8412355644297	Royal Blue (131)				
VEL-OW64430	8412355644303	Yellow (750)				
VEL-OW64431	8412355644310	Red (530)				
VEL-OW64432	8412355644327	Green (650)				
VEL-OW64433	8412355644334	Purple (557)				
VEL-OW64435	8412355644358	Pink (895)				
VEL-OW64436	8412355644365	Acqua (893)	64	Bundle, wrap, fasten		
VEL-OW64437	8412355644372	Orange (700)				
VEL-OW64526	8412355645263	White (010)				
VEL-OW64527	8412355645270	Black (330)				
VEL-OW64528	8412355645287	Black (330 F.R.T.)				
VEL-OW64529	8412355645294	Royal Blue (131)				
VEL-OW64530	8412355645300	Yellow (750)				
VEL-OW64531	8412355645317	Red (530)				
VEL-OW64532	8412355645324	Green (650)				
VEL-OW64533	8412355645331	Purple (557)				
VEL-OW64535	8412355645355	Pink (895)	64	Bundle, wrap, fasten		
VEL-OW64536	8412355645362	Acqua (893)				
VEL-OW64537	8412355645379	Orange (700)				
VEL-OW64626	8412355646260	White (010)				
VEL-OW64627	8412355646277	Black (330)				
VEL-OW64628	8412355646284	Black (330 F.R.T.)				
VEL-OW64629	8412355646291	Royal Blue (131)				
VEL-OW64630	8412355646307	Yellow (750)				
VEL-OW64631	8412355646314	Red (530)				
VEL-OW64632	8412355646321	Green (650)				
VEL-OW64633	8412355646338	Purple (557)	64	Bundle, wrap, fasten		
VEL-OW64635	8412355646352	Pink (895)				
VEL-OW64636	8412355646369	Acqua (893)				
VEL-OW64637	8412355646376	Orange (700)				
VEL-OW64726	8412355647267	White (010)				
VEL-OW64727	8412355647274	Black (330)				
VEL-OW64728	8412355647281	Black (330 F.R.T.)				
VEL-OW64729	8412355647298	Royal Blue (131)				
VEL-OW64730	8412355647304	Yellow (750)				
VEL-OW64731	8412355647311	Red (530)				
VEL-OW64732	8412355647328	Green (650)	19	Bundle, wrap, fasten		
VEL-OW64733	8412355647335	Purple (557)				
VEL-OW64735	8412355647359	Pink (895)				
VEL-OW64736	8412355647366	Acqua (893)				
VEL-OW64737	8412355647373	Orange (700)				
VEL-OW64826	8412355648264	White (010)				
VEL-OW64827	8412355648271	Black (330)				
VEL-OW64828	8412355648288	Black (330 F.R.T.)				
VEL-OW64829	8412355648295	Royal Blue (131)				
VEL-OW64830	8412355648301	Yellow (750)				
VEL-OW64831	8412355648318	Red (530)	13	Bundle, wrap, fasten		
VEL-OW64832	8412355648325	Green (650)				
VEL-OW64833	8412355648332	Purple (557)				
VEL-OW64835	8412355648356	Pink (895)				
VEL-OW64836	8412355648363	Acqua (893)				
VEL-OW64837	8412355648370	Orange (700)				

STRAPS & TAPES

 STRAP • 250 UNITS SPOOL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-DW64339	8412355643399	13mm x 200mm 250 Units	13mm	White (010)	3	Bundle, wrap, fasten
VEL-DW64340	8412355643405			Black (330)		
VEL-DW64341	8412355643412			Black (330 F.R.T.)		
VEL-DW64342	8412355643429			Royal Blue (131)		
VEL-DW64343	8412355643436			Yellow (750)		
VEL-DW64344	8412355643443			Red (530)		
VEL-DW64345	8412355643450			Green (650)		
VEL-DW64346	8412355643467			Purple (557)		
VEL-DW64348	8412355643481			Pink (895)		
VEL-DW64349	8412355643498			Acqua (893)		
VEL-DW64350	8412355643504	Orange (700)	3	Bundle, wrap, fasten		
VEL-DW64439	8412355644396	White (010)				
VEL-DW64440	8412355644402	Black (330)				
VEL-DW64441	8412355644419	Black (330 F.R.T.)				
VEL-DW64442	8412355644426	Royal Blue (131)				
VEL-DW64443	8412355644433	Yellow (750)				
VEL-DW64444	8412355644440	Red (530)				
VEL-DW64445	8412355644457	Green (650)				
VEL-DW64446	8412355644464	Purple (557)				
VEL-DW64448	8412355644488	Pink (895)				
VEL-DW64449	8412355644495	Acqua (893)	3	Bundle, wrap, fasten		
VEL-DW64450	8412355644501	Orange (700)				
VEL-DW64539	8412355645393	White (010)				
VEL-DW64540	8412355645409	Black (330)				
VEL-DW64541	8412355645416	Black (330 F.R.T.)				
VEL-DW64542	8412355645423	Royal Blue (131)				
VEL-DW64543	8412355645430	Yellow (750)				
VEL-DW64544	8412355645447	Red (530)				
VEL-DW64545	8412355645454	Green (650)				
VEL-DW64546	8412355645461	Purple (557)				
VEL-DW64548	8412355645485	Pink (895)	3	Bundle, wrap, fasten		
VEL-DW64549	8412355645492	Acqua (893)				
VEL-DW64550	8412355645508	Orange (700)				
VEL-DW64639	8412355646390	White (010)				
VEL-DW64640	8412355646406	Black (330)				
VEL-DW64641	8412355646413	Black (330 F.R.T.)				
VEL-DW64642	8412355646420	Royal Blue (131)				
VEL-DW64643	8412355646437	Yellow (750)				
VEL-DW64644	8412355646444	Red (530)				
VEL-DW64645	8412355646451	Green (650)				
VEL-DW64646	8412355646468	Purple (557)	3	Bundle, wrap, fasten		
VEL-DW64648	8412355646482	Pink (895)				
VEL-DW64649	8412355646499	Acqua (893)				
VEL-DW64650	8412355646505	Orange (700)				
VEL-DW64739	8412355647397	White (010)				
VEL-DW64740	8412355647403	Black (330)				
VEL-DW64741	8412355647410	Black (330 F.R.T.)				
VEL-DW64742	8412355647427	Royal Blue (131)				
VEL-DW64743	8412355647434	Yellow (750)				
VEL-DW64744	8412355647441	Red (530)				
VEL-DW64745	8412355647458	Green (650)				
VEL-DW64746	8412355647465	Purple (557)	3	Bundle, wrap, fasten		
VEL-DW64748	8412355647489	Pink (895)				
VEL-DW64749	8412355647496	Acqua (893)				
VEL-DW64750	8412355647502	Orange (700)				
VEL-DW64839	8412355648394	White (010)				
VEL-DW64840	8412355648400	Black (330)				
VEL-DW64841	8412355648417	Black (330 F.R.T.)				
VEL-DW64842	8412355648424	Royal Blue (131)				
VEL-DW64843	8412355648431	Yellow (750)				
VEL-DW64844	8412355648448	Red (530)				
VEL-DW64845	8412355648455	Green (650)				
VEL-DW64846	8412355648462	Purple (557)	3	Bundle, wrap, fasten		
VEL-DW64848	8412355648486	Pink (895)				
VEL-DW64849	8412355648493	Acqua (893)				
VEL-DW64850	8412355648509	Orange (700)				

 STRAP • 750 UNITS SPOOL





REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-DW64365	8412355643658	13mm x 200mm 750 Units	13mm	White (010)	1	Bundle, wrap, fasten
VEL-DW64366	8412355643665			Black (330)		
VEL-DW64367	8412355643672			Black (330 F.R.T.)		
VEL-DW64368	8412355643689			Royal Blue (131)		
VEL-DW64369	8412355643696			Yellow (750)		
VEL-DW64370	8412355643702			Red (530)		
VEL-DW64371	8412355643719			Green (650)		
VEL-DW64372	8412355643726			Purple (557)		
VEL-DW64374	8412355643740			Pink (895)		
VEL-DW64375	8412355643757			Acqua (893)		
VEL-DW64376	8412355643764			Orange (700)		
VEL-DW64465	8412355644655	20mm x 150mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-DW64466	8412355644662			Black (330)		
VEL-DW64467	8412355644679			Black (330 F.R.T.)		
VEL-DW64468	8412355644686			Royal Blue (131)		
VEL-DW64469	8412355644693			Yellow (750)		
VEL-DW64470	8412355644709			Red (530)		
VEL-DW64471	8412355644716			Green (650)		
VEL-DW64472	8412355644723			Purple (557)		
VEL-DW64474	8412355644747			Pink (895)		
VEL-DW64475	8412355644754			Acqua (893)		
VEL-DW64476	8412355644761			Orange (700)		
VEL-DW64565	8412355645652	20mm x 200mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-DW64566	8412355645669			Black (330)		
VEL-DW64567	8412355645676			Black (330 F.R.T.)		
VEL-DW64568	8412355645683			Royal Blue (131)		
VEL-DW64569	8412355645690			Yellow (750)		
VEL-DW64570	8412355645706			Red (530)		
VEL-DW64571	8412355645713			Green (650)		
VEL-DW64572	8412355645720			Purple (557)		
VEL-DW64574	8412355645744			Pink (895)		
VEL-DW64575	8412355645751			Acqua (893)		
VEL-DW64576	8412355645768			Orange (700)		
VEL-DW64665	8412355646659	20mm x 230mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-DW64666	8412355646666			Black (330)		
VEL-DW64667	8412355646673			Black (330 F.R.T.)		
VEL-DW64668	8412355646680			Royal Blue (131)		
VEL-DW64669	8412355646697			Yellow (750)		
VEL-DW64670	8412355646703			Red (530)		
VEL-DW64671	8412355646710			Green (650)		
VEL-DW64672	8412355646727			Purple (557)		
VEL-DW64674	8412355646741			Pink (895)		
VEL-DW64675	8412355646758			Acqua (893)		
VEL-DW64676	8412355646765			Orange (700)		
VEL-DW64765	8412355647656	20mm x 330mm 750 Units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-DW64766	8412355647663			Black (330)		
VEL-DW64767	8412355647670			Black (330 F.R.T.)		
VEL-DW64768	8412355647687			Royal Blue (131)		
VEL-DW64769	8412355647694			Yellow (750)		
VEL-DW64770	8412355647700			Red (530)		
VEL-DW64771	8412355647717			Green (650)		
VEL-DW64772	8412355647724			Purple (557)		
VEL-DW64774	8412355647748			Pink (895)		
VEL-DW64775	8412355647755			Acqua (893)		
VEL-DW64776	8412355647762			Orange (700)		
VEL-DW64865	8412355648653	25mm x 300mm 750 Units	25mm	White (010)	1	Bundle, wrap, fasten
VEL-DW64866	8412355648660			Black (330)		
VEL-DW64867	8412355648677			Black (330 F.R.T.)		
VEL-DW64868	8412355648684			Royal Blue (131)		
VEL-DW64869	8412355648691			Yellow (750)		
VEL-DW64870	8412355648707			Red (530)		
VEL-DW64871	8412355648714			Green (650)		
VEL-DW64872	8412355648721			Purple (557)		
VEL-DW64874	8412355648745			Pink (895)		
VEL-DW64875	8412355648752			Acqua (893)		
VEL-DW64876	8412355648769			Orange (700)		

STRAPS & TAPES

TAPE

ONE-WRAP® Tape

VELCRO® Brand ONE-WRAP® Tape has proved its value as an easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm ²



TAPE • 25M ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-DW64100	8412355641005	25m of ONE-WRAP® Tape	10mm	White (010)	19	Bundle, wrap, fasten
VEL-DW64101	8412355641012			Black (330)		
VEL-DW64102	8412355641029			Black (330 F.R.T.)		
VEL-DW64103	8412355641036			Royal Blue (131)		
VEL-DW64104	8412355641043			Yellow (750)		
VEL-DW64105	8412355641050			Red (530)		
VEL-DW64106	8412355641067			Green (650)		
VEL-DW64107	8412355641074			Purple (557)		
VEL-DW64109	8412355641098			Pink (895)		
VEL-DW64110	8412355641104			Acqua (893)		
VEL-DW64111	8412355641111			Orange (700)		
VEL-DW64113	8412355641135	25m of ONE-WRAP® Tape	13mm	White (010)	19	Bundle, wrap, fasten
VEL-DW64114	8412355641142			Black (330)		
VEL-DW64115	8412355641159			Black (330 F.R.T.)		
VEL-DW64116	8412355641166			Royal Blue (131)		
VEL-DW64117	8412355641173			Yellow (750)		
VEL-DW64118	8412355641180			Red (530)		
VEL-DW64119	8412355641197			Green (650)		
VEL-DW64120	8412355641203			Purple (557)		
VEL-DW64122	8412355641227			Pink (895)		
VEL-DW64123	8412355641234			Acqua (893)		
VEL-DW64124	8412355641241			Orange (700)		



STRAPS & TAPES





TAPE • 25M ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-DW64126	8412355641265	25m of ONE-WRAP® Tape	16mm	White (010)	19	Bundle, wrap, fasten
VEL-DW64127	8412355641272			Black (330)		
VEL-DW64128	8412355641289			Black (330 F.R.T.)		
VEL-DW64129	8412355641296			Royal Blue (131)		
VEL-DW64130	8412355641302			Yellow (750)		
VEL-DW64131	8412355641319			Red (530)		
VEL-DW64132	8412355641326			Green (650)		
VEL-DW64133	8412355641333			Purple (557)		
VEL-DW64135	8412355641357			Pink (895)		
VEL-DW64136	8412355641364			Acqua (893)		
VEL-DW64137	8412355641371			Orange (700)		
VEL-DW64139	8412355641395	25m of ONE-WRAP® Tape	20mm	White (010)	19	Bundle, wrap, fasten
VEL-DW64140	8412355641401			Black (330)		
VEL-DW64141	8412355641418			Black (330 F.R.T.)		
VEL-DW64142	8412355641425			Royal Blue (131)		
VEL-DW64143	8412355641432			Yellow (750)		
VEL-DW64144	8412355641449			Red (530)		
VEL-DW64145	8412355641456			Green (650)		
VEL-DW64146	8412355641463			Purple (557)		
VEL-DW64148	8412355641487			Pink (895)		
VEL-DW64149	8412355641494			Acqua (893)		
VEL-DW64150	8412355641500			Orange (700)		
VEL-DW64152	8412355641524	25m of ONE-WRAP® Tape	25mm	White (010)	13	Bundle, wrap, fasten
VEL-DW64153	8412355641531			Black (330)		
VEL-DW64154	8412355641548			Black (330 F.R.T.)		
VEL-DW64155	8412355641555			Royal Blue (131)		
VEL-DW64156	8412355641562			Yellow (750)		
VEL-DW64157	8412355641579			Red (530)		
VEL-DW64158	8412355641586			Green (650)		
VEL-DW64159	8412355641593			Purple (557)		
VEL-DW64161	8412355641616			Pink (895)		
VEL-DW64162	8412355641623			Acqua (893)		
VEL-DW64163	8412355641630			Orange (700)		
VEL-DW64165	8412355641654	25m of ONE-WRAP® Tape	30mm	White (010)	13	Bundle, wrap, fasten
VEL-DW64166	8412355641661			Black (330)		
VEL-DW64167	8412355641678			Black (330 F.R.T.)		
VEL-DW64168	8412355641685			Royal Blue (131)		
VEL-DW64169	8412355641692			Yellow (750)		
VEL-DW64170	8412355641708			Red (530)		
VEL-DW64171	8412355641715			Green (650)		
VEL-DW64172	8412355641722			Purple (557)		
VEL-DW64174	8412355641746			Pink (895)		
VEL-DW64175	8412355641753			Acqua (893)		
VEL-DW64176	8412355641760			Orange (700)		
VEL-DW64178	8412355641784	25m of ONE-WRAP® Tape	50mm	White (010)	8	Bundle, wrap, fasten
VEL-DW64179	8412355641791			Black (330)		
VEL-DW64180	8412355641807			Black (330 F.R.T.)		
VEL-DW64181	8412355641814			Royal Blue (131)		
VEL-DW64182	8412355641821			Yellow (750)		
VEL-DW64183	8412355641838			Red (530)		
VEL-DW64184	8412355641845			Green (650)		
VEL-DW64185	8412355641852			Purple (557)		
VEL-DW64187	8412355641876			Pink (895)		
VEL-DW64188	8412355641883			Acqua (893)		
VEL-DW64189	8412355641890			Orange (700)		





LogiStrap® Strap

VELCRO® Brand LogiStrap® Strap is a reusable Strap that can easily be opened and closed which will reduce the time people will use to secure a load and eliminate time required in movement to, and maintenance of, alternative equipment. No tools are required. LogiStrap® Strap is very soft which avoids the scratching of surfaces.

CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm ²



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20024	8412355200240	50mm x 4m strap 2 units	50mm		✗	5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers
VEL-PS20025	8412355200257	50mm x 6m strap 2 units	50mm		✗	5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers







OVERALL STRAP RESISTANCE
108 Kg
1059 N

Product tested by:
- ITENE (Packaging, Transport & Logistics research center), Spain
- KaHo Sint-Lieven University, Belgium



GREEN TIE

Our VELCRO® Brand GREEN TIE provides support for your most delicate plants, as well as the rebels that have a bit of trouble staying upright on their own. Our clever hook and loop system means you can easily re-wrap the tie as your plants bloom.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Low
	PEEL	-
	SHEAR	Min. 7 N/cm ²



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20026	8412355200264	5 meters of Self-engaging Tape	12mm			144	Bundle, wrap, fasten



ADDITIONAL INFORMATION: SALES PROMOTION TOOLS

TRY THE PRODUCT CARDS & DESK DISPLAY



STAND UP DISPLAYS



ADDITIONAL INFORMATION: PRODUCT RANGE OVERVIEW

PERFORMANCE				
<p>+</p> <p>CLOSURE AND ADHESIVE STRENGTHS</p> <p>-</p>	HIGH			
	MEDIUM		 	
	LOW			
		LOW	MEDIUM	HIGH
		<p>NUMBER OF CYCLES</p> <p>-</p>		
		<p>+</p>		

USES

FLOOR FIXATION		MATERIALS HANDLING	
CABLE MANAGEMENT		AGRICULTURE & GARDENING	

Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 50 years and own over 400 active patents and numerous trademarks, including the VELCRO® trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.


To buy genuine VELCRO® Brand products and to find out more about our company, visit Velcro.com

Global Footprint

Quality Standards

Innovation

Living Brand

Infinite Applications

Hidden Hero

GLOBAL OFFICES
Global Corporate Headquarters

VIL Ltd.
 2 Kingdom Street, 6th Floor
 Paddington, London, W2 6JP
 United Kingdom
Velcro.com

Global Services Office

Velcro Group Corporation
 95 Sundial Avenue
 Manchester, NH 03103
 USA
 Tel: (+1) 800 225 0180
Velcro.com

Global Consumer Office

VIL Ltd.
 Ground Floor, Booths Park 3,
 Chelford Road
 Knutsford, WA16 8GS
 United Kingdom
 Tel: (+44) 1270 310 191
Velcro.com

NAM
USA

Velcro USA Inc.
 Tel: (+1) 800 225 0180
marketing@velcro.com
Velcro.com

Canada

Velcro Canada Inc.
 Tel: (+1) 800 683 5276
canada@velcro.com
Velcro.com

LATAM
Mexico

Velcro de México, S.A. de C.V.
 Tlalneptanta de Baz,
 Edo. de México
 Tel: (+52) 55 5005 3300
infovdmex@velcro.com
Velcrodemexico.com
 León, Gto
 Tel: (+52) 477 980 0628
infovdmex@velcro.com
Velcrodemexico.com

Brazil

Velcro Brasil Importação,
 Exportação e Comércio de
 Sistemas de Fixação Ltda.

Campo Bom, RS
 Tel: (+55) 51 3599 1483
infovbra@velcro.com
Velcro.com.br

Sumaré, SP
 Tel: (+55) 11 3197 2576
infovbra@velcro.com
Velcro.com.br

Uruguay

Velcro Industrial
 del Uruguay S.A.
 Tel: (+598) 2288 0008
infovurg@velcro.com
Velcro.com

EMEA
Spain

Velcro Europe S.A.
 Tel: (+34) 93 758 32 98
infovesa@velcro.com
Velcro.es

Germany

Velcro GmbH
 Freiberg am Neckar
 Tel: (+49) 7141 991 19-0
infovgmbh@velcro.com
Velcro.de

Gronau
 Tel: (+49) 2562 96 45-0
infovgmbh@velcro.com
Velcro.de

France

Velcro Industries France S.A.S.
 Tel: (+33) 1 34 38 78 88
infovif@velcro.com
Velcro.fr

Belgium

Alfatex N.V.
 Tel: (+32) 9 386 12 18
infofbe@velcro.com
Velcro.be

Italy

Velcro Italia, S.R.L.
 Tel: (+39) 039 62 70 01
infoveit@velcro.com
Velcro.it

UK

Velcro Ltd.
 Tel: (+44) 1606 738 806
infovlt@velcro.com
Velcro.co.uk

Poland

Alfatex Sp. z o.o.
 Tel: (+48) 71 798 57 89
infovpl@velcro.com
Velcro.pl

APAC
Australia

Velcro Australia Pty. Ltd.
 Tel: (+61) 3 9703 2466
infovaus@velcro.com
Velcro.com.au

China

Velcro China Fastening
 Systems Company Limited
 Tel: (+86) 21 6045 2090
 (Shanghai Sales Office)
infovch@velcro.com
Velcro.com.cn

Hong Kong

Velcro Hong Kong Ltd.
 Tel: (+852) 2570 3698
infovhk@velcro.com
Velcro.com.hk
Velcro.kr

Vietnam

Velcro Vietnam Company Limited
 Tel: (+84) 274 2222 497
infovvn@velcro.com
Velcro.vn