

POWER DISTRIBUTION UNITS

from Tripp Lite

Network-grade PDUs have multiple outlets to distribute power to servers and networking equipment within a rack.

- Choose from power distribution units (PDUs) with local or remote monitoring, remote power management, automatic transfer switching for power redundancy, and hot-swap capabilities
- Single-phase and 3-phase PDU options are available in vertical (0U) and horizontal (1U, 2U) form factors
- Select models include built-in LX Platform interface for remote access 24/7



BASIC PDUs



Tripp Lite basic PDUs provide a reliable, no-frills power distribution solution for all network applications at an affordable price.

- Basic single-phase PDU models support several different input voltages and amperages to cover a wide range of network power needs
- Reliable in-rack power distribution with multiple outlets and secure mounting

MONITORED PDUs



Tripp Lite's monitored PDUs provide remote monitoring and single- or 3-phase power to network devices.

- Built-in Ethernet interface helps monitor load levels to prevent overloads that cause downtime
- Ideal for data centres and network closets

ATS PDUs



PDUs with automatic transfer switching (ATS) enable power redundancy for single-cord devices.

- Dual AC inputs connect to primary and secondary power sources
- Internal circuitry automatically switches to the secondary source if the primary source is unavailable or unreliable

METERED PDUs

Tripp Lite metered PDUs offer real-time local reporting of current levels in amps. Built-in digital meters help preserve proper load balancing and prevent circuit overloads as equipment is added.

- Offer reliable rack-mount, multi-outlet single- or 3-phase power distribution from a UPS, generator or mains input power source
- High-quality design includes rugged all-metal housing and secure rack-mount installation with included mounting accessories

SWITCHED PDUs

Tripp Lite's switched PDUs provide single- or 3-phase power, advanced network control and remote power monitoring.

- Individual outlet control in real time or via pre-set program for remote reboots
- Automatic alerts when load levels exceed user-defined thresholds, preventing downtime before it happens
- Ideal for data centres and network closets

HOT-SWAP PDUs



Tripp Lite's hot-swap PDUs enable live replacement of standard UPS systems for maintenance with no interruption of connected server or networking loads.



Powering and Connecting
Your World

Tripp Lite PDU Quick Reference Guide

Model	Nominal Output Voltage	Max Input Current	Nominal Load Capacity	Input Plug Type	Outlets
BASIC PDUs					
SINGLE-PHASE HORIZONTAL RACK-MOUNT MODELS					
PDUNV	100-240V	16A	1.6/3.8kW	C20 Inlet + Adapters	14 (12 C13 + 2 C19)
PDU12IEC	100-240V	16A	1.6/3.8kW	C20 Inlet	14 (12 C13 + 2 C19)
PDUH20DV	100-240V	20A	1.6/3.8kW	C20 Inlet + L6-20P Adapter	14 (12 C13 + 2 C19)
PDUH32HV	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	10 (C13)
PDUH32HV19	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	4 (C19)
METERED PDUs					
SINGLE-PHASE HORIZONTAL RACK-MOUNT MODELS					
PDUMH16HV	200/220/230/240V	16A	3.8kW	IEC 309 16A Blue (2P+E)	10 (8 C13 + 2 C19)
PDUMH20HV	200-240V	20A	3.2-3.8kW	C20 Inlet + L6-20P Adapter	10 (8 C13 + 2 C19)
PDUMH32HV	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	18 (16 C13 + 2 C19)
SINGLE-PHASE VERTICAL 0U MODELS					
PDUMV16HV	200/220/230/240V	16A	3.8kW	IEC 309 16A Blue (2P+E)	38 (32 C13 + 6 C19)
PDUMV20HV	200-240V	20A	3.2-3.8kW	C20 Inlet + L6-20P Adapter	38 (32 C13 + 6 C19)
PDUMV32HV	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	48 (40 C13 + 8 C19)
3-PHASE VERTICAL 0U MODELS					
PDU3XMV6G20	220-240V	16A	11.5kW	IEC 309 16/20A Red (3P+N+E)	45 (36 C13 + 9 C19)
PDU3XMV6G32	220/230V	32A	22.2kW	IEC 309 32A Red (3P+N+E)	42 (36 C13 + 6 C19)
MONITORED PDUs					
SINGLE-PHASE HORIZONTAL RACK-MOUNT MODELS					
PDUMNH20HV	208/220/230/240V	16A	3.2-3.8kW	C20 Inlet + L6-20P Adapter	8 (C13)
PDUMNH32HV	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	16 (12 C13 + 4 C19)
SINGLE-PHASE VERTICAL 0U MODELS					
PDUMNV20HV2	200-240V	20A	3.2-3.8kW	C20 Inlet + L6-20P Adapter	20 (18 C13 + 2 C19)
PDUMNV20HV2LX	208/230V	20A	3.3/3.7kW	C20 Inlet + L6-20P Adapter	20 (18 C13 + 2 C19)
PDUMNV20HV2LX	208/230V	20A	3.3-3.7kW	C20 Inlet + L6-20P Adapter	24 (20 C13 + 4 C19)
PDUMNV32HV2LX	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	42 (36 C13 + 6 C19)
3-PHASE VERTICAL 0U MODELS					
PDU3XVN3G16	220/230V	16A	11kW	IEC 309 16A Red (3P+N+E)	36 (30 C13 + 6 C19)
PDU3XVN10G16	220/230V	16A	11kW	IEC 309 16A Red (3P+N+E)	36 (30 C13 + 6 C19)
PDU3XVN6G20	200/220/230/240V	16A	11.5kW	IEC 309 16/20A Red (3P+N+E)	48 (42 C13 + 6 C19)
PDU3XEVN6G20	200/220/230/240V	16A	11.5kW	IEC 309 16/20A Red (3P+N+E)	48 (42 C13 + 6 C19)
SWITCHED PDUs					
SINGLE-PHASE HORIZONTAL RACK-MOUNT MODELS					
PDUMH15HVNET	200-240V	15A	2.3-2.9kW	C14 Inlet	8 (C13)
PDUMH20HVNET	208/220/230/240V	20A	3.3-3.8kW	C20 Inlet + L6-20P Adapter	8 (C13)
PDUMH32HVNET	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	16 (C13)
SINGLE-PHASE VERTICAL 0U MODELS					
PDUMV20HVNET2LX	208/230V	20A	3.3-3.7kW	C20 Inlet + L6-20P Adapter	8 (7 C13 + 1 C19)
PDUMV20HVNETLX	200-240V	20A	3.2-3.8kW	C20 Inlet + L6-20P Adapter	24 (20 C13 + 4 C19)
PDUMV32HVNETLX	230V	32A	7.4kW	IEC 309 32A Blue (2P+E)	24 (20 C13 + 4 C19)
3-PHASE VERTICAL 0U MODELS					
PDU3XVS6G20	200/220/230/240V	16A	11.5kW	IEC 309 16/20A Red (3P+N+E)	30 (24 C13 + 6 C19)
PDU3XVSR3G16	220/230V	16A	11kW	IEC 309 16A Red (3P+N+E)	24 (21 C13 + 3 C19)
PDU3XVSR6G20	200/220/230/240V	16A	11.5kW	IEC 309 16/20A Red (3P+N+E)	30 (24 C13 + 6 C19)
PDU3XVSR6G32A	220/230V	32A	22.1kW	IEC 309 32A Red (3P+N+E)	24 (12 C13 + 12 C19)
PDU3XVSR6G63A	220/230V	40A	27.6kW	IEC 309 63A Red (3P+N+E)	24 (12 C13 + 12 C19)
PDU3XVSR6G63B	220/230V	40A	27.6kW	IEC 309 63A Red (3P+N+E)	30 (24 C13 + 6 C19)
PDU3XVSRHWA	240/230/220V	40A	28.8kW	Hardwire	24 (12 C13 + 12 C19)
PDU3XVSRHWB	240/230/220V	40A	28.8kW	Hardwire	30 (24 C13 + 6 C19)
3-PHASE VERTICAL 0U MODELS WITH LX PLATFORM					
PDU3XEVS6G20	220/230/240V	16A	11.5kW	IEC 309 16/20A Red (3P+N+E)	30 (24 C13 + 6 C19)
PDU3XEVS6G32A	220/230V	32A	22.2kW	IEC 309 32A Red (3P+N+E)	24 (12 C13 + 12 C19)
PDU3XEVS6G32B	220/230V	32A	22.2kW	IEC 309 32A Red (3P+N+E)	30 (24 C13 + 6 C19)
PDU3XEVS6G63A	220/230V	63A	27.7kW	IEC 309 63A Red (3P+N+E)	24 (12 C13 + 12 C19)
PDU3XEVS6G63B	220/230V	63A	27.7kW	IEC 309 63A Red (3P+N+E)	30 (24 C13 + 6 C19)
PDU3XEVS6G63B	220/230V	63A	27.7kW	IEC 309 63A Red (3P+N+E)	24 (12 C13 + 12 C19)
PDU3XEVS6G63B	220/230/240V	40A	28.8kW	Hardwire	24 (12 C13 + 12 C19)
PDU3XEVS6G63B	220/230/240V	40A	28.8kW	Hardwire	30 (24 C13 + 6 C19)
ATS PDUs					
SINGLE-PHASE METERED HORIZONTAL RACK-MOUNT MODELS					
PDUMH15HVAT	200-240V	10A	2-2.4kW	2 x C14 Inlets	10 (C13)
PDUMH20HVAT	200-240V	20A	3.2-3.8kW	2 x C20 Inlets	10 (8 C13 + 2 C19)
PDUMH32HVAT	230V	32A	7.4kW	2 x IEC 309 32A Blue (2P+E)	18 (16 C13 + 2 C19)
SINGLE-PHASE MONITORED HORIZONTAL RACK-MOUNT MODELS					
PDUMNH16HVAT	230V	16A	3.7kW	2 x IEC 309 16A Blue (2P+E)	1 (IEC 309 16A Blue (2P+E))
PDUMNH32HVAT	230V	32A	7.4kW	2 x IEC 309 32A Blue (2P+E)	1 (IEC 309 32A Blue (2P+E))
SINGLE-PHASE SWITCHED HORIZONTAL RACK-MOUNT MODELS					
PDUMH15HVATNET	200-240V	15A	2-2.4kW	2 x C14 Inlets	10 (C13)
PDUMH20HVATNET	200-240V	20A	3.2-3.8kW	2 x C20 Inlets	10 (8 C13 + 2 C19)
PDUMH32HVATNET	230V	32A	7.4kW	2 x IEC 309 32A Blue (2P+E)	18 (16 C13 + 2 C19)
HOT-SWAP PDUs					
SINGLE-PHASE HORIZONTAL RACK-MOUNT MODELS					
PDUBHV10	200-240V	10A	2-2.4kW	2 x C14 Inlet	8 (C13)
PDUBHV20	200-240V	16A	3.2-3.8kW	2 x C20 Inlet	8 (6 C13 + 2 C19)

For more information, contact your Tripp Lite Representative:

Tripp Lite UK & Nordics +44.01635.887396 | info-uk@tripplite.com
 Tripp Lite Western Europe +44.01234.868010 | salesint@tripplite.com
 Tripp Lite Eastern Europe +36.70.388.7680 | salesint@tripplite.com
 Tripp Lite France +33.0.68.388.9150 | salesint@tripplite.com

